



HotScripts
<http://www.hotscripts.com>  **COM**


Java 2 Platform and JAAS Authorization Architectures


Hits: 787

Description: Follow along as Java architect Abhijit Belapurkar leads this detailed, behind-the-scenes introduction to two distinctly different (yet related) models of authorization: the code-centric model of the Java 2 platform security architecture and the user-centric model of the Java Authentication and Authorization Service.

Resource Specifications

Price:	Free
Date Added:	May 6th, 2004
Last Updated:	May 6th, 2004

Average Visitor Rating:  **0.00** (out of 5)
Number of Ratings: 0 Votes

Average Member Rating:  **0.00** (out of 5)
Number of Reviews: 0 Reviews

Other Links by This Member

[Tracing in a Multithreaded,](#)

[Multiplatform Environment](#)

[JMS Application Changes Under J2EE](#)

[Introduction to Jena](#)

[Unclogging Server Bottlenecks w/ Active Containers](#)

[Data Management in J2EE Apps](#)

[Use the Element Construction Set to create formatted logs](#)

[Generate Certificate Chains for Testing Java Applications](#)

[Java Performance Tuning w/ Fat Clients](#)

[A Look at Binary Runtime Environment for Wireless \(BREW\)](#)

[JDK More Flexible, Scalable Locking](#)

[Secure a J2ME Environment with JCE](#)

[Portlets with FacesClient Components](#)

[The On Demand Operating Environment](#)

[Annotations in Tiger \(J2SE 5.0\)](#)

[RAD Tutorial w/ JavaServer Faces and WS Portal](#)

[Wireless messaging with JXTA](#)

[Concurrency in JDK 5.0 Tutorial](#)

