



HotScripts  
<http://www.hotscripts.com>  COM

# How to use semantic lists to provide pagination for all kinds of data

Hits: 2,222

**Description:** If you're developing a front end to web applications, sooner or later, you'll find you need to paginate data of some sort. It might be search results, image galleries, or tabular data. You'll find that you use the same techniques - perhaps use an old bit of code as a template and change it to suit your needs each time.

This article explains how you can use a quick class to handle pagination easily - leaving you only the associated CSS presentation markup to add to make your solution complete. For the sake of completeness, we'll provide a sample CSS snippet that you can alter to fit your site design.

## Resource Specifications

<b>Version:</b>	1.0
<b>Platform(s):</b>	linux, windows, freebsd, osx, sun
<b>Date Added:</b>	Jun 30th, 2005
<b>Last Updated:</b>	Jul 2nd, 2005
<b>Author:</b>	Mick Sear

**Average Visitor Rating:**  **3.55** (out of 5)

Number of Ratings: 11 Votes

**Average Member Rating:**  **0.00** (out of 5)

Number of Reviews: 0 Reviews

## Other Links by This Member

[Breadcrumb \(click trail\) navigation](#)

[Cron schedule parser](#)

[Semantic and accessible DHTML multi-level menu](#)

[Data pagination](#)

[How to use semantic lists to provide pagination for all kinds of data](#)

[Password format verification](#)

