



HotScripts
<http://www.hotscripts.com>  .COM

Socket Programming in C using UDP with Code

Hits: 3,119

Description: A ready to use code to communicate using UDP

Resource Specifications

Platform(s):	linux
Date Added:	Oct 25th, 2005
Last Updated:	Oct 25th, 2005

Average Visitor Rating:  **3.80** (out of 5)

Number of Ratings: 10 Votes

Average Member Rating:  **5.00** (out of 5)

Number of Reviews: 1 Reviews *Read Reviews...*

Other Links by This Member

[Converting normal Date into RFC-822 Format Date using ASP](#)

[Creating Bar Chart using ASP](#)

[Generate random password that includes numbers and letters](#)

[Finding pagerank of a website using PHP](#)

[Socket Programming in C using TCP with Code](#)

[Socket Programming in C using UDP with Code](#)

[Embedding XML into HTML using Data Island](#)

[How to find out the Page Load time using ASP](#)

[Expertsforge.com - Free Archive of tutorials, RSS Feeds, solutions](#)

[Validating a text box for numeric data](#)

[Create and write content to a text file using ASP](#)

[Right\(\) function in Javascript](#)

[Active users Hit Counter](#)

[Javascript Input Box.](#)



Listing # 53823, Aug 17th, 2007

Reviewed By: gupam19

Writing a server program to be run by inetd is very simple. Each time someone requests a connection to the appropriate port, a new server process starts. The connection already exists at this time; the socket is available as the standard input descriptor and as the standard