



HotScripts
<http://www.hotscripts.com> COM

How to load file into memory using plain ANSI C language Hits: 1,610

Description: This C language article provides example of loading file (binary mode) into memory for later processing. Only standard libraries (stdio.h) are used, the source code is completely cross-platform.

Resource Specifications

Platform(s):	linux, windows, freebsd, osx, sun
Date Added:	Nov 8th, 2006
Last Updated:	Nov 8th, 2006
Author:	AnyExample

Average Visitor Rating:  **4.10** (out of 5)

Number of Ratings: 10 Votes

Average Member Rating:  **0.00** (out of 5)

Number of Reviews: 0 Reviews

Other Links by This Member

[Simple and secure mail function based on php mail\(\)](#)

[Rails and SQL queries](#)

[PHP Cookie example and function-helper](#)

[PHP AJAX example: asynchronous file upload](#)

[AJAX web-counter for widgets](#)

[PHP multiple photo thumbnail generator](#)

[Display MySQL table as HTML example](#)

[Converting RGB values from/to HTML hex representation.](#)

[How to load file into memory using plain ANSI C language](#)

[PHP password generation](#)

[IE7 compatible prompt\(\) alternative](#)

[C++ dynamic array template class](#)

[Playing WAV files using Java](#)

[AJAX get page title example](#)

[MySQL \(BLOB field\) Image Gallery Example](#)

[Java full screen image viewer](#)

[5 useful PHP functions for MySQL data fetching](#)

[Making XML/XSLT driven site using PHP](#)

[Bar chart HTML generator](#)

[Gd / FreeType text label generator](#)

[Rails Photo Gallery](#)

[Uploading files to Amazon S3 with REST API](#)

[qsort: sorting array of strings, integers and structs](#)

[Redirect function with permanent 301 redirect support](#)

[How to allow some safe HTML in Rails projects](#)

